ThinkPad X13 Gen 1 (AMD) 20UF000LGE

Product

ThinkPad X13 Gen 1 (AMD)

Region

WE

Country/Region

Germany

Machine Type

20UF

TopSeller

TopSeller

Processor

AMD Ryzen 5 PRO 4650U (6C / 12T, 2.1 / 4.0GHz, 3MB L2 / 8MB L3)

Graphics

Integrated AMD Radeon Graphics

Chipset

AMD SoC Platform

Memory

16GB Soldered DDR4-3200

Storage

256GB SSD M.2 2280 PCIe NVMe Opal2

Display

13.3" FHD (1920x1080) WVA 300nits Anti-glare

Touchscreen

None

Media Reader

MicroSD Reader

Ethernet

100/1000M via Optional Adapter

Optical

None

WLAN + Bluetooth

Intel AX200 11ax, 2x2 + BT5.1

WWAN

WWAN Upgradable

SIM Card

None

Smart Card Reader

Smart Card Reader

Monitor Cable

None

Case Material

PPS / GF (Top), Magnesium / Aluminum (Bottom)

Bundled Accessories

None

Camera

720p + IR with ThinkShutter

Microphone

2x, Array

Color

Black

Keyboard

Backlit, German

Fingerprint Reader

Touch Style, Match-on-Chip

NFC

None

TPM

Discrete TPM 2.0

Battery

Integrated 48Wh

Power Adapter

65W USB-C

System Management

DASH

Operating System

Windows 10 Pro 64. German

Bundled Software

None

Base Warrantv

3-year, Depot

Bundled Service

None

EAN/UPC/JAN

0195042372922

End of Support

2027-01-02

Announce Date

2020-06-02

Recommended Services

Best

5Y Premier Support Upgrade from 3Y Depot/CCI (5WS0T36204)

Better

4Y Premier Support Upgrade from 3Y Depot/CCI (5WS0T36185)

Good

3Y Premier Support Upgrade from 3Y Depot/CCI (5WS0T36152)

Notes:

Battery life is an estimated maximum. Actual battery life may vary based on many factors, including screen brightness, active applications, features, power management settings, battery age and conditioning, and other customer preferences.

L

WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product specifications Reference.

© Lenovo, 2020. All rights reserved.




AMD

ThinkPad X13 Gen 1 (AMD) Platform Specifications

												T	
Processor	AMD Ryzen™ PRO 4000 Series Mobile Processors											Smart card reader Optional: Smart card reader	
	Processor		# of	# of	Base	Max Boo			lemory	Processor		Media reader Ports	MicroSD card reader, in the combo slot with nano-SIM card Two USB 3.2 Gen 1 (Always On).
	Number Ryzen 3		Cores 1	Threads	Clock	Clock			ontroller	Graphics		FUILS	two USB 3.2 Type-C Gen 2 (w/ the function of Power Delivery and DisplayPort 1.4),
	PRO 4		4	8	2.5 GHz	3.7 GF	Iz 2MB I 4MB						HDMI 2.0. Ethernet extension connector.
	Rvzen		-+		 		OMD L	0.7		AMD R	adeon™		combo slot of nano-SIM card (WWAN models) and microSD card reader,
	PRO 4		6	12	2.1 GHz	4.0 GH	Iz 8MB L		R4-3200	Grap			headphone / microphone combo jack, optional smart card reader,
	Ryzen		8	16	1.7 GHz	4.1 GH	4MB L	2 /			Ì		side docking connector, security keyhole * Depending on many factors, actual data transfer speed may be lower than theoretical speed
	PRO 4	1750U		16	1.7 GHZ	4.1 GH	8MB L	.3				Monitor cable	Lenovo HDMI to VGA Monitor Adapter
Graphics	supports up to 4 independent displays via native display and 3 external monitors; supports external monitors via HDMI (up to 4K@60Hz) or USB Type-C (up to 5K@60Hz)											(optional)	Lenovo USB-C to VGA Adapter Lenovo USB-C to DisplayPort Adapter Optional: ThinkPad Ethernet Extension Adapter Gen 2
•											itors;	Bundled Accy	
											•	I	/)• HD720p camera with ThinkShutter camera privacy, fixed focus
												- Camera (optional	IR camera and HD720p camera with ThinkShutter camera privacy, fixed focus
							dored to	wote	hoord	10 00 =le-	\to	Audio support	HD Audio, Realtek® ALC3287 codec / Dolby® Audio speaker system, 1W x 2 /
Memory	optional dual array far-field microphone, headphone / microphone combo ja										optional dual array far-field microphone, headphone / microphone combo jack		
Display	Size Resolu		ion	Туре	Surface	Touch E	3rightness	Aspect Ratio	Contrast Ratio	Color Gamut	Viewing Angle	Keyboard	6-row, spill-resistant, multimedia Fn keys with Unified Communications controls,
			66x768)		Anti-glare		250 nits	16:9	300:1	45%	Angle 90°	UltraNav™	optional LED backlight
	-				Anti-glare		300 nits	16:9	800:1	72%	170°	1	TrackPoint® pointing device and buttonless Mylar surface multi-touch touchpad
				-1		N AIA:				1		Security Security chip	Power-on password, hard disk password, supervisor password, security keyhole Discrete TPM 2.0 TCG Certified
		,		-	Anti-glare	touch	300 nits	16:9	700:1	72%	170°	System Mgt	DASH Management
	10.5	FHD (1	920x108	30)	A 4: - :		500 ::	100	1000 :	7001	1700	Fingerprint reade	er Optional: Touch style match on chip fingerprint reader on the palm rest
		ThinkPa Guard	au Priva	cy wvA	Anti-glare	-	500 nits	16:9	1000:1	72%	170°	NFČ	None
Multi-touch (opt)												Battery	Integrated Li-Polymer 48Wh battery,
					VMe, PCIe		,					Max battery life	supports Rapid Charge (charge up to 80% in 1hr) with 65W AC adapter MobileMark® 2014: 12.8 hr
J	• M.2	2280			VMe, PCIe							wax battery lile	MobileMark 2018: 10.35 hr
Optical	None											100-1	* Battery life varies significantly with hardware configurations, settings, usage, & other factors
Ethernet	Native	Realt	ek® RT	L8111E	PV Gigab	it Ether	net conne	ction				AC adapter	 45W USB-C AC adapter 65W USB-C AC adapter
	via op	tional '	ThinkPa	ad Ethe	ernet Exter	nsion Ac	dapter Ger	n 2]	65W USB-C AC adapter 65W USB-C slim AC adapter
WLAN + BT	Intel V	Vi-Fi 6	AX200	, Wi-Fi	2x2 802.1	1ax + B	luetooth™	5.1				Operating system	n Optional: Windows® 10 Home 64 or Windows 10 Pro 64
WWAN (optional)									_			I — — — — — — — — — — — — — — — — — — —	
,	• Inte	grated	Mobile	Broadk	oand 4G L	TE-A, F	ibocom LE	350-GL	., M.2 ca	ırd		Limited warranty (optional)	 1-year depot repair service 1-year depot with 2-year system board repair service
SIM card (opt)	* For non-WWAN model, it means the model is NOT WWAN upgradable Gemalto eSIM											(optional)	1-year limited onsite service
Dimensions												-	1-year + 2-year depot repair service
Weight	WxDxH: 12.28" x 8.55" x 0.67"; 311.9mm x 217.2mm x 16.9mm Models HD FHD Non-touch FHD Touch FHD Privacy Guard										Guard		1-year + 2-year limited onsite service 3-year/1-yr bettery depot repair convice
	Weigh	_					_						 3-year/1-yr battery depot repair service 3-year/1-yr battery limited onsite service
Case color	Weight 2.85 lb / 1.29 kg 2.85 lb / 1.29 kg 2.84 lb / 1.28 kg 2.85 lb / 1.29 kg Black										_o Ny	Mil-Spec test	MIL-STD-810G military testing
	Display cover: PPS/GF;											<u> </u>	, 0
	Bottom: Magnesium/Aluminum											Environment	EPEAT™ Gold; ENERGY STAR® 8.0; TCO Certified; RoHS-compliant
Note: The specifica	tions a	bove n	nay not	be avail	able in all i	regions a	and might o	hange	by regio	ns.			Lenovo

Note: The specifications above may not be available in all regions and might change by regions.





AMDZ

